

Merkblatt

Perdorimi i baneseve


Temperaturet ne Dimer:



17°C

Sobet te flejtes: 17-20 °C

Ventilin ne 2-3



20°C

Shtuba: 20-21 °C

Ventilin ne 3



22°C

Banja: 22 °C

Ventilin ne 4

Ajri i lakt: 30 - 50%


So wird gelüftet:



Dritaret duhen si cilen dit ka 5 minuta mu hap.



Dritaren ne karah nuk ban me hapen se duvart marin shum lakshti. Edhe ajri hup shum energji.



Mobilet distancen prej murit ma se paku duhet me pas 10 cm.



Mbas pastrimit ne banjo ose pas pregaditjes segjelles ne kuzhin duhen dyrt te jen te mbyllera kurse dritaret te hapura. Per mos me pas lageshti ne banes.

Po ashtu ne kushin duhet te jete ventilatori i hapur edhe nje dritare ne krah e hapur.

Ne qof se keni shum visitor duhet ti ajrosni dhomet.

Nej qoftese ne nje dhom keni lageshti te tepruar rreptesisht eshte e ndaluar per ti thare teshet e lakta edhe lule te mbani ne at dhome



Ne dhomen e flejtes kur te flishe duhet rregluisht me qen dritarja e hapur ne krah.

Pas zgjjuarjes nga gjumi duhet menjeher ti hapni dritaret.



Die Verwaltung

Immosupport

by F+C Jenny AG